



11 REFERENCES

- Aeron TA, Jacobs GD, Sexton B, Gururaj G, Rahman F. *The involvement and impact of road crashes on the poor: Bangladesh and India case studies*. Transport Research Laboratory, PPR 010, 2004.
- Adityanjee MD, Wig NN. Alcohol-related problems in the emergency room of an Indian general hospital. *Australian and New Zealand Journal of Psychiatry*, 1989 Jun; 23(2): 274–8.
- Alcohol Policy network: *Statistical overview of alcohol use*. Toronto, 2005. (http://www.apolnet.ca/resources/stats/stats_overview.html, accessed 16 June 2006).
- Amornvivat S. *Alcohol products taxation: Government's perspective*, in ITIC Asia excise tax conference, 2–4 March 2005, Singapore. Centre for Commercial Law Studies National University of Singapore and International Tax and Investment Center, Washington DC, 2005.
- Anand K. *Assessment of burden and surveillance of major non-communicable diseases in India*. New Delhi, World Health Organization, Regional Office for South-East Asia, 2000.
- Arulrhaj S. *Alcohol atlas India*. Indian Alcohol Policy Alliance, Chennai, 2005.
- Assanangkornchai S, Pinkaew P, Apakupakul N. Prevalence of hazardous-harmful drinking in a southern Thai community. *Drug Alcohol Rev*, 2003 Sep; 22(3): 287–93.
- Babor T F et al. *Alcohol: No ordinary commodity*. New York: Oxford University Press, 2003.
- Babor T F & Higgins-Biddle J C. *Brief Intervention for hazardous and harmful drinking: a manual for use in primary care*. Geneva, World Health Organization, 2001.
- Bang AT, Bang RA. Community participation in research and action against alcoholism, *World Health Forum*, 1991; 12(1): 104–9.
- Batra VS, Bedi RB. Effect of drunken driving on traffic safety, (<http://www.druglibrary.org/Schaffer/Misc/driving/s26p2.htm>, accessed 10 April 2006).
- Benegal V. National experiences, India: alcohol and public health. *Addiction*. 2005 Aug; 100(8): 1051–1056.
- Benegal VA, Shantala, Murthy P, Janakiramaiah N. *Report on development of a model district programme for prevention of drug and alcohol problems*. Bangalore, WHO-NIMHANS Project, 2001, (http://www.nimhans.kar.nic.in/Deaddiction/lit/Mandya_distt_WHO.pdf, accessed 10 April 2005).
- Benegal V, Gururaj G, Murthy P. *Project report on a WHO multi centre collaborative project on establishing and monitoring alcohol's involvement in casualties; 2000–01*.

Bangalore, NIMHANS, 2002. (http://www.nimhans.kar.nic.in/Deaddiction/lit/Alcohol%20and%20%20Injuries_WHO%20Collab.pdf, accessed 10 April 2005).

Benegal V, Gururaj G, Murthy P. *Report on a WHO collaborative project on unrecorded consumption of alcohol in Karnataka, India, 2003*. (<http://www.nimhans.kar.nic.in/deaddiction/Publications.html>, accessed 19 Oct 2006).

Benegal V, Nayak M, Murthy P, Chandra P, Gururaj G. *Women and alcohol use in India*. GENACIS report, 2005.

Benegal V, Murthy P, Shantala A & Janakiramaiah N. *Alcohol-related problems – A manual for medical officers*. Bangalore, NIMHANS, 2001. NIMHANS Publication # 41.

Benegal V, Velayudan, Jain. Social costs of alcoholism (Karnataka). *NIMHANS Journal*, 2000; 18(1and 2): 67–76.

Choi BC, Robson L, Single E. Estimating the economic costs of the abuse of tobacco, alcohol and illicit drugs: a review of methodologies and canadian data sources. *Chronic Disease in Canada*, 1997; 18(4): 149–65.

Bonu S, Rani M, Peters D H, Jha P & Nguyem SN. Does use of tobacco or alcohol contribute to impoverishment from hospitalization costs in India? *Health Policy and Planning*, 2005 Jan; 20(1): 41–9.

Catalyst Health Economics Consultants Ltd. Scottish executive. *Alcohol misuse in Scotland: trends and costs-final report*. Edinburgh, 2001. (<http://www.drugsprevention.net/alcohol/?artId=41#197>, accessed 10 Jan 2006).

Chaloupka FJ, Safer H. & Grossman M. Alcohol-control policies and motor-vehicle fatalities. *Journal of Legal Studies*, 1993, 22(1):161–186.

Chandra PS, Krishna VA, Benegal V, Ramakrishna J. High-risk sexual behaviour and sensation seeking among heavy alcohol-users. *Indian Journal of Medical Research*, 2003 Feb; 117: 88–92.

Chisholm D, Rehm J, Van Ommeren M, Monteiro M. Reducing the global burden of hazardous alcohol use: a comparative cost-effectiveness analysis. *Journal of Studies on Alcohol*, 2004;65(6):782–93.

Chikritzhs T & Stockwell T. Impact of later trading hours for Australian public houses (hotels) on levels of violence. *Journal of Studies on Alcohol*, 2002 Sep; 63(5): 591–9.

Cherpitel CJ, Bond J, Ye Yu et al. A cross-national meta-analysis of alcohol and injury: data from the emergency room collaborative alcohol analysis project (ERCAAP). Society for the Study of Addiction to Alcohol and Other Drugs. *Addiction*, 2003 Sep; 98(9): 1277–86.

Cherpitel, CJ . Alcohol and injuries: a review of international emergency room studies. *Addiction*, 1993 Jul; 88(7): 923–37.

Chinnai R. Indian women impose unofficial drinking fines in News. *Bulletin of World Health Organization*, 2002; 80(2): 175.



Chitra S, Ashok L, Anand L, Srinivasan V, Jayanthi V. Risk factors for esophageal cancer in Coimbatore, southern India: a hospital-based case-control study. *Indian Journal of Gastroenterology*, 2004 Jan–Feb; 23(1): 19–21.

Collins D J & Lapsley H M. *The social costs of drug abuse in Australia 1988 and 1992*. National Drug Strategy. Commonwealth Department of Human Services and Health, Australian Government Publishing Service, 1996. Monograph series # 30.

Damodar H. For states, revenue flows through liquor. *Business Line*, Financial Daily from The Hindu group of publications, 07/09/2004. (<http://www.thehindubusinessline.com/2004/09/07/stories/2004090702780400.htm>, accessed 15 June 2006).

De Silva HJ et al. Role of alcohol abuse in cases of physical assault. *Alcohol and Alcoholism*, 1996, 31(5):510.

Dissanayake P, Navaratne NM. 24% of male deaths alcohol-related. *Ceylon Med J*, 1999 Mar; 44(1): 40.

Fordham G. Whisky, women and song: men, alcohol and AIDS in northern Thailand. *Australian Journal of Anthropology*, 1995; 6(3): 154–77.

Forut Report. *Alcohol and poverty in Sri Lanka*. Norway: FORUT, campaign for development and solidarity, 2004. (<http://www.forut.no/index.php/15703-1>, accessed 23 Oct 2005).

Godfrey C. Financial costs and benefits of alcohol. *Paper prepared for the European alcohol policy conference*, Warsaw, 16th–19th June. York: University of York, Centre for Health Economics and Department of Health Sciences, 2004, (<http://www.eurocare.org/btg/conf0604/papers/godfrey.pdf>, accessed 10 Jan 2006).

Grube JW, Nygaard P. Adolescent drinking and alcohol policy. *Contemporary Drug Problems*, 2001; 28(1): 87–132.

Gunawardene N. Sri Lanka's double burden kills rich and poor alike. *Health Millions*, 1999 Jul–Aug; 25(4): 27.

Gururaj G, Isaac MK. *Epidemiology of suicides in Bangalore*. Bangalore, NIMHANS, 2001a. Publication # 43.

Gururaj G, Isaac MK. *Suicides: beyond numbers*. Bangalore, NIMHANS, 2001b. Publication # 42.

Gururaj G. Alcohol consumption, road traffic injuries and brain damage. *Proceedings of the 6th World Conference on Injury Prevention and Control*. Montreal, 2002a.

Gururaj G. Epidemiology of traumatic brain injuries: Indian scenario. *Neurology Research*, 2002b Jan; 24(1): 24–8.

Gururaj G, Benegal V. *Driving under the influence of alcohol and road traffic injuries in Bangalore*: project report. 2002c. (<http://www.nimhans.kar.nic.in/deaddiction/lit/BATFReport.pdf>, accessed 16 June 2006)

Gururaj G. The effect of alcohol on incidence, pattern, severity and outcome from traumatic brain injury. *Journal of Indian Medical Association*, 2004a Mar; 102(3): 157–60, 163.

Gururaj G. Alcohol and road traffic injuries in South Asia: challenges for prevention. *Journal of the College of Physicians and Surgeons of Pakistan*, 2004b Dec; 14(12): 713–8.

Gururaj G, Isaac MK. Psychiatric epidemiology in India: moving beyond numbers. In: Agarwal S P, ed. *Mental health an Indian perspective–1946–2003*. New Delhi: Ministry of Health and Family Welfare, 2004c, pp. 37–61.

Gururaj G, Isaac M K, Subbakrishna D K, Girish N. *Final report of the project Pilot study on establishing health behaviour surveillance with a focus on mental health*. Submitted to the World Health Organization, Country Office for India, 2004d.

Gururaj G, Isaac M K, Subbakrishna D K, Ranjani R. Risk Factors for completed suicides: a case–control study from Bangalore, India. *Injury Control and Safety Promotion*, 2004e Sep; 11(3): 183–91.

Gururaj G, Benegal V, Girish N. *Psychosocial impact of alcohol: the hidden public health burden*. Presented at the National Conference of IAPSM, Chandigarh, February 2004f.

Gururaj G, Isaac M K, Girish N. Mental, behavioural and substance abuse disorders: strategies towards a systems approach. In: National Commission on Macroeconomics and Health. *Burden of Disease in India*. New Delhi: Ministry of Health and Family Welfare, 2005a, pp. 226–250

Gururaj G, Sastry KVR, Chandramouli BA, Subbakrishna DK. *Traumatic Brain Injury*. NIMHANS. Bangalore, 2005b. Publication # 61.

Gururaj G, Girish N, Benegal V. *Burden and socio-economic impact of alcohol use: the Bangalore study*. New Delhi: World Health Organization, Regional Office for South-East Asia, 2006.

Gutjahr E, Gmel G, Rehm J. Relation between average alcohol consumption and disease: an overview. *European Addiction Research*, 2001 Aug; 7(3): 117–27.

Hawks D, Scott K, McBride N, Jones P and Stockwell T. *Prevention of psychoactive substance use: a selected review of what works in the area of prevention*. Geneva, World Health Organization, 2002.

Her M, Giesbrecht N, Room R and Rehm J. Privatizing alcohol sales and alcohol consumption: evidence and implications. *Addiction*, 1999, 94:1125–1154.

Holder H et al. The cost effectiveness of treatment for alcoholism: a first approximation. *Journal of Studies on Alcohol*, 1991. 52(6): p. 517–40.



- Holman CD, English DR, Bower C, Kurinczuk JJ. NHMRC recommendations on abstinence from alcohol in pregnancy. National Health and Medical Research Council. *Medical Journal of Australia*, 1996 Jun 3; 164(11): 699.
- Hommer D, Momenan R, Kaiser E, Rawlings R. Evidence for a gender-related effect of alcoholism on brain volumes. *American Journal of Psychiatry*, 2001 Feb; 158(2): 198–204.
- Howteerakul N, Suwannapong N, Than M. Cigarette, alcohol use and physical activity among Myanmar youth workers, Samut Sakhon Province, Thailand. *Southeast Asian Journal of Tropical Medicine and Public Health*, 2005 May; 36(3): 790–6.
- Joshi, Manisha. Communication and women's empowerment in Uttaranchal In Kiran Prasad (ed). *Communication and empowerment of women: strategies and policy insights from India*, New Delhi: The Women Press, 2004.
- International Labour Organization. *Management of alcohol and drug-related issues in the workplace: an ILO code of practice*. Geneva, 1995. (<http://www.ilo.org/public/english/protection/safework/cops/english/download/e970709.pdf>, accessed 16 June 2006).
- Isaac M. Contemporary trends: India. In: Grant M. ed. *Alcohol and emerging markets, patterns, problems and responses*. Taylor and Francis, 1998. pp. 145–176.
- Jain A, Buddhiraja S, Khurana B, Singhal R, Nair D, Arora P et al. Risk factors for duodenal ulcer in north India. *Tropical Gastroenterology*, 1999 Jan-Mar; 20(1): 36–9.
- Jernigan D H, Monteiro M, Room R & Saxena S. Towards a global alcohol policy: alcohol, public health and role of WHO. *Bulletin of the World Health Organization*, 2000; 78(4): 491–9.
- Jha N. Road traffic accident cases at BPKHS, Dharan, Nepal: one year in retrospect. *Journal of Nepal Medical Association*, 1997; 35: 241–244.
- Jhingan HP, Shyangwa P, Sharma A, Prasad KM, Khandelwal SK. Prevalence of alcohol dependence in a town in Nepal as assessed by the CAGE questionnaire. *Addiction*, 2003 Mar; 98(3): 339–43.
- Klingemann H, Holder HD & Gutzwiller F. *Alcohol-related accidents and injuries*. *Addiction*, 1993 Jul; 88 (7): 861–1016.
- Kumar VS. Behavioural malignancy: alcoholism a bleak future? In: Jayapaul Azariah, Hilda Azariah, Darryl RJ Macer. ed. *Bioethics in India: proceedings of the international bioethics workshop in Madras: biomanagement of biogeoresources, 16–19 Jan. 1997*. Madras: University of Madras, 1997. (<http://www2.unescobkk.org/eubios/india/bii59.htm>, accessed 16 June 2006).
- Levine H & Reinerman C. *Alcohol prohibition and drug prohibition. Lessons from alcohol policy for drug policy*. Amsterdam, CEDRO, 2004.

Mahal A. What works in alcohol policy? Evidence from rural India. *Economic and Political Weekly*, 2000 Nov 4; 35(45): 3959–68.

Markowitz S. The price of alcohol, wife abuse and husband abuse. *Southern Economic Journal*, 2000, 67(2): 279–303.

Midnaik L & Room R. Epidemiology of alcohol consumption. *Alcohol and research world*. 1992; 16: 183–190.

Mishra BK, Banerjee AK, Mohan D. Two-wheeler injuries in Delhi, India: a study of crash victims admitted in a neurosurgery ward. *Accident Analysis and Prevention*, 1984; 16(5/6): 407–16.

Mohan D & Bawa PS. An analysis of road traffic fatalities in Delhi, India. *Accident Analysis Prevention*, 1985 Feb; 17(1): 33–45.

Mohan D. Rapid survey and substance abuse disorder in the urban slums of New Delhi. *Indian Journal of Medical Research*, 1992 Apr; 96: 122–7.

Mohan D. *The road ahead: traffic injuries and fatalities in India: transport research and injury prevention programme*. Delhi, Indian Institute of Technology, 2004.

Murray CJL, Lopez AD. Quantifying the burden of disease and injury attributable to ten major risk factors. In: Murray CJL, Lopez AD, eds. *The global burden of disease: a comprehensive assessment of mortality and disability from diseases, injuries and risk factors in 1990 and projected to 2020*. Cambridge: Harvard School of Public Health; 1996. p. 295–324

National Drug and Alcohol Research Centre. *Fact sheet of alcohol*. Australia, 2005. (<http://ndarc.med.unsw.edu.au/NDARCWeb.nsf/page/Fact%20Sheets>, accessed 21 June 2006).

National Institute of Alcohol Abuse and Alcoholism. *Economic costs of alcohol and drug abuse estimated at \$246 billion in the United States*. Press release, Wednesday May 13, 1998, (<http://www.nih.gov/news/pr/may98/nida-13.htm>, accessed 16 June 2006).

Nina R, Room R, Edwards G. *Alcohol in the European region – consumption, harm and policies*. Copenhagen, World Health Organization, Regional Office for Europe, 2001.

Odero W, Garner P, Zwi A: Road traffic injuries in developing countries: a comprehensive review of epidemiological studies. *Tropical Medicine and International Health*. 1997 May; 2(5): 445–60.

Perera B, Torabi MR. Preliminary study of smoking and alcohol use among students in southern Sri Lanka. *Psychological Reports*, 2004 Jun; 94(3 Pt 1): 856–8.

Rajeswari R, Chandrasekaran V, Suhadev M, Sivasubramaniam S, Sudha G, Renu G. Factors associated with patient and health system delays in the diagnosis of tuberculosis in South India. *International Journal of Tuberculosis and Lung Diseases*. 2002 Sep; 6(9): 789–95.



- Ray, S. Why women get addicted to alcohol. *The Tribune*, Sunday, April 21, 2002. Chandigarh: India, (<http://www.tribuneindia.com/2002/20020421/herworld.htm#1>, accessed 16 June 2006).
- Ray R. *National survey on extent, pattern and trends of drug abuse in India*. New Delhi, Ministry of Social Justice and Empowerment, Government of India and United Nations Office on Drugs and Crime, 2004.
- Ray R & Sharma HK. Drug addiction – an Indian perspective. In: Bashyam VP, ed. *Souvenir of ANCIPS*. Madras: Indian Psychiatric Society, 1994, pp. 106–109.
- Reddy K S & Gupta P C, ed. *Report on tobacco control in India*. New Delhi: Ministry of Health and Family Welfare, Government of India, 2004.
- Rehm J. *Alcohol addiction and public health*. Disease Control Priorities Project. Working Paper 33, <http://www.dcp2.org/file/47/wp33.pdf>, accessed 23 October 2005).
- Rehm J, Room R, Graham K, Monteiro M, Gmel G & Sempos CT. The relationship of average volume of alcohol consumption and patterns of drinking to burden of disease: an overview, *Addiction*, 2003; 98(9): 1209–1228.
- Rehman L. *Alcohol prohibition and addictive consumption in India*. London: London School of Economics, 2003. (http://www.nottingham.ac.uk/economics/leverhulme/conferences/postgrad_conf_2003/Rahman_paper.pdf, accessed 26 Oct 2005).
- Richupan S. *Alcohol products taxation: international experiences and selected practices in Asia*. Singapore: International Tax and Investment Center, 2005. (<http://www.thaihealth.or.th/en/download/taxalcho.pdf>, accessed 22 Oct 2005).
- Ritson B. Preventive strategies for alcohol-related problems. *Addiction*, 1994 Nov; 89(11): 1491–6.
- Room R, Babor T, Rehm J. Alcohol and public health. *Lancet*, 2005 Feb 5–11; 365(9458): 519–30.
- Saffer H, Dave D. Alcohol advertising and alcohol consumption by adolescents. *Health Econ*. 2006, Jun; 15(6): 617–37.
- Sahdev P, Lacqua MJ, Sing B et al. Road traffic fatalities in Delhi: causes, injury patterns and incidence of preventable deaths. *Accident Analysis and Prevention*, 1994 Jun; 26(3): 377–84.
- Sarin SK, Bhatt A, Malhotra V, Sachdev G, Jiloha RC, Munjal GC. Pattern of alcohol-related liver disease in dependent alcoholics: the Indian dimension. *British Journal of Addiction*, 1988 Mar; 83(3): 279–84.
- Saxena S. Country profile on alcohol in India. In: Riley L & Marshall M (eds), *Alcohol and public health in developing countries*. Geneva, World Health Organization, 1999.

Sindelar HA, Barnett NP, Spirito A et al. Adolescent alcohol use and injury. a summary and critical review of the literature. *Minerva Pediatrics*, 2004 Jun; 56(3): 291–309.

Single E, Collins D, Easton B, Harwood H, Lapsley H, Maynard A. *International guidelines for estimating the costs of substance abuse*. Ottawa, Canadian Centre on Substance abuse, 1996.

Sri EV, Raguram R, Srivastava M. Alcohol problems in a general hospital: a prevalence study. *Journal of the Indian Medical Association*, 1997 Sep; 95(9): 505–6.

Subramanian S V, Nandy S, Irving M, Gordon D, Smith GD. Role of socio-economic markers and state prohibition policy in predicting alcohol consumption amongst men and women in India: a multi level statistical analysis. *Bulletin of the World Health Organization*, 2005; 83(11): 829–836.

Swaddiwudhipong W, Mahasakpan P, Chaovakiratipong C, Nguntra P, Tatip Y, Koonchote S, Boonmak C, Tharmaphornpilas P. Screening assessment of persons 40–59 years of age in rural Thailand by a mobile health unit. *Journal of Medical Association of Thailand*, 1999 Feb; 82(2): 131–9.

Thai Health Promotion Foundation. *Annual report 2004: combining the health forces to cutback alcohol and tobacco consumption*. Bangkok, Thailand, 2004. (<http://www.thaihealth.or.th/en/content.php?n=publications>, accessed 2 Jan 2006).

Timko C et al. Long-term outcomes of alcohol use disorders: comparing untreated individuals with those in alcoholics anonymous and formal treatment. *Journal of Studies on Alcohol*, 2000. 61: p. 529–38.

United Kingdom Cabinet Office. *Alcohol misuse: how much does it cost?* United Kingdom, 2003 Sep. (<http://www.pm.gov.uk/files/pdf/econ.pdf#search='Alcohol%20misuse%3A%20how%20much%20does%20it%20cost'>, accessed 16 Jun 2006).

Wei H, Derson Y, Xiao S, Li L, Zhang Y. Alcohol consumption and alcohol-related problems: Chinese experience from six area samples, 1994. *Addiction*. 1999; 94(10): 1467–76.

World Health Organization (WHO). *The ICD 10 classification of mental and behavioural disorders*. Geneva, 1992.

World Health Organization (WHO), Regional Office for South-East Asia. *Health situation in the south-east Asia region, 1994–1997*. New Delhi: 1999.

World Health Organization (WHO). *International guide for monitoring alcohol consumption and related harm*. Geneva, 2000.

World Health Organization (WHO). *Women of south-east Asia: a health profile*. New Delhi, Regional Office for South-East Asia, 2000.



World Health Organization (WHO), Regional Office for South-East Asia, *Development of projects for prevention of harm from alcohol use: report of an inter-country consultation, Bali, Indonesia, June 2002*. New Delhi, 2002.

World Health Organization (WHO). *The world health report 2002: reducing risks, promoting healthy life*. Geneva, 2002.

World Health Organization (WHO). *Substance use in south-east Asia: knowledge, attitudes, practices and opportunities for intervention: WHO / UNDCP global initiative on primary prevention of substance abuse "global initiative"*. Geneva, 2003.

World Health Organization (WHO). *Prevention of harm from alcohol use, get high on life without alcohol*. New Delhi, Regional Office for South-East Asia, 2003.

World Health Organization (WHO). *Global status report on alcohol*. Geneva, 2004.

World Health Organization (WHO). *Public health problems caused by harmful use of alcohol*. Geneva, 2005. Document WHA 58.26.

World Health Organization (WHO). *Facts on alcohol use and abuse*. New Delhi: Regional Office for South-East Asia.

World Bank. *Alcohol and public health*, 2003. (<http://info.worldbank.org/etools/bSPAN/PresentationView.asp?PID=998&EID=503>, accessed 26 Oct 2005).

World Health Organization (WHO). *Gender, alcohol and culture: the GENACIS international study*. WHO, Geneva, 2003.